Contents of Volume 41

Vol. 41, No. 1, September (I) 1999

Bipartite determinants of DNA-binding specificity of plant basic leucine zipper proteins
X. Niu, L. Renshaw-Gegg, L. Miller, M.J. Guiltinan **1–13**

Cloning and characterization of a trypsin inhibitor cDNA from amaranth (*Amaranthus hypochondriacus*) seeds
S. ValdÇs-Rodríguez, A. Blanco-Labra, G. GutiÇrrez-Benicio, A. Boradenenko, A. Herrera-Estrella, J. Simpson **15–23**

A bacterial artificial chromosome library for soybean PI 437654 and identification of clones associated with cyst nematode resistance
J.P. Tomkins, R. Mahalingam, H. Smith, J.L. Goicoechea, H.T. Knap, R.A. Wing **25–32**

A constitutively expressed *Myc*-like gene involved in anthocyanin biosynthesis from *Perilla frutescens*: molecular characterization, heterologous expression in transgenic plants and transactivation in yeast cells
Z.-Z. Gong, E. Yamagishi, M. Yamazaki, K. Saito **33–44**

A tobacco cryptic constitutive promoter, *tCUP*, revealed by T-DNA tagging
E. Foster, J. Hattori, H. LabbÇ, T. Ouellet, P.R. Fobert, L.E. James, V.N. Iyer, B.L. Miki **45–55**

Localization of peroxidase mRNAs in soybean seeds by *in situ* hybridization
M. Gijzen, S.S. Miller, L.-A. Bowman, A.K. Batchelor, K. Boutilier, B.L.A. Miki **57–63**

The *Arabidopsis ACTIN-RELATED PROTEIN 2* (*AtARP2*) promoter directs expression in xylem precursor cells and pollen
U. Klahre, N.-H. Chua **65–73**

The promoter of a *Brassica napus* lipid transfer protein gene is active in a range of tissues and stimulated by light and viral infection in transgenic *Arabidopsis*
A.K. Sohal, J.A. Pallas, G.I. Jenkins **75–87**

Expression of photosynthesis genes in relation to nitrogen fixation in the diazotrophic filamentous nonheterocystous cyanobacterium *Trichodesmium* sp. IMS 101
Y.-B. Chen, B. Dominic, S. Zani, M.T. Mellon, J.P. Zehr **89–104**

Expression and sequence requirements for nitrite reductase co-suppression
P. CrÇtÇ, H. Vaucheret **105–114**

Fertilization and wounding of the style induce the expression of a highly conserved plant gene homologous to a *Plasmodium falciparum* surface antigen in the wild potato *Solanum chacoense* Bitt.
S. Lantin, M. O'Brien, D.P. Matton **115–124**

Cloning and characterization of a cDNA encoding topoisomerase II in pea and analysis of its expression in relation to cell proliferation
M.K. Reddy, S. Nair, K.K. Tewari, Y. Mudgil, B.S. Yadav, S.K. Sopory **125–137**

A new class of proteins capable of binding transition metals
P.E. Dykema, P.R. Sipes, Anne Marie, B.J. Biermann, D.N. Crowell, S.K. Randall 139–150

Vol. 41, No. 2, September (II) 1999

Mini-review

Structural organization and interactions of COP1, a light-regulated developmental switch
M. Holm, X.W. Deng 151–158

Research papers

Molecular genetic analysis of the drought-inducible linker histone variant in *Arabidopsis thaliana*
R. Ascenzi, J.S. Gannt 159–169

Age-dependent wound induction of a myrosinase-associated protien from oilseed rape (*Brassica napus*)
E. Andreasson, J. Taipalensuu, L. Rask, J. Meijer 171–180

Identification of a promoter region responsible for the senescence-specific expression of *SAG12*
Y.-S. Noh, R.M. Amasino 181–194

Regulation of developmental senescence is conserved between *Arabidopsis* and *Brassica napus*
Y.-S. Noh, R.M. Amasino 195–206

Nectarin I is a novel, soluble germin-like protein expressed in the nectar of *Nicotiana* sp.
C. Carter, R.A. Graham, R.W. Thornburg 207–216

A novel promoter from soybean that is active in a complex developmental pattern with and without its proximal 650 base pairs
M.V. Strömvik, V.P. Sundararaman, L.O. Vodkin 217–231

High expression level of a gene coding for a chloroplastic amino acid selective channel protein is correlated to cold acclimation in cereals
P. Baldi, M. Grossi, N. Pecchioni, G. ValÐ, L. Cattivelli 233–243

Regulation of endoreduplication in maize (*Zea mays* L.) endosperm. Isolation of a novel B1-type cyclin and its quantitative analysis
Y. Sun, B.A. Flannigan, T.L. Setter 245–258

Cloning and expression of amino acid transporters from broad bean
F. Montamat, L. Maurousset, M. Tegeder, W. Frommer, S. Delrot 259–268

Multiple DNA methyltransferase genes in *Arabidopsis thaliana*
R.K. Genger, K.A. Kovac, E.S. Dennis, W.J. Peacock, E.J. Finnegan 269–278

Molecular characterisation and expression of a wound-inducible cDNA encoding a novel cinnamyl-alcohol dehydrogenase enzyme in lucerne (*Medicago sativa* L.)
E.M. Brill, S. Abrahams, C.M. Hayes, C.L.D. Jenkins, J.M. Watson 279–291

Corrigendum 293

Vol. 41, No. 3, October 1999

Mini-review

Retinoblastoma proteins in plants
S.M. de Jager, J.A.H. Murray **295–299**

Research papers

cDNA cloning and characterization of maize phospho*enol*pyruvate carboxykinase, a bundle sheath cell-specific enzyme
T. Furumoto, S. Hata, K. Izui **301–311**

Coexpression of a defensin gene and a thionin-like gene via different signal transduction pathways in pepper and *Colletotrichum gloeosporioides* interactions
B.-J. Oh, M.K. Ko, I. Kostenyuk, B. Shin, K.S. Sim **313–319**

Two *ftsH*-family genes encoded in the nuclear and chloroplast genomes of the primitive red alga *Cyanidioschyzon merolae*
R. Itoh, H. Takano, N. Ohta, S. Miyagishima, H. Kuroiwa, T. Kuroiwa **321–337**

The maize EmBP-1 orthologue differentially regulates Opaque2-dependent gene expression in yeast and cultured maize endosperm cells
L.E. Carlini, M. Ketudat, R.L. Parsons, S. Prabhakar, R.J. Schmidt, M.J. Guiltinan **339–349**

Occurrence of five different chromosomal HMG1 proteins in various maize tissues
C. Stemmer, R. Grimm, K.D. Grasser **351–361**

Specific *in vitro* phosphorylation of plant eIF2α by eukaryotic eIF2α kinases
L.-Y. Chang, W.Y. Yang, K. Browning, D. Roth **363–370**

Pollination, wounding and jasmonate treatments induce the expression of a developmentally regulated pistil dioxygenase at a distance, in the ovary, in the wild potato *Solanum chacoense* Bitt.
S. Lantin, M. O'Brien, D.P. Matton **371–386**

Structure and expression of the gene family encoding putrescine *N*-methyltransferase in *Nicotiana tabacum*: new clues to the evolutionary origin of cultivated tobacco
D.E. Riechers, M.P. Timko **387–401**

Evidence for factors regulating transfer cell-specific expression in maize endosperm
G. Hueros, J. Royo, M. Maitz, F. Salamini, R.D. Thompson **403–414**

Selection of *Arabidopsis* genes encoding secreted and plasma membrane proteins
J.H. Goo, A.R. Park, W.J. Park, O.K. Park **415–423**

Thiol redox state regulates expression of *psbA* genes in *Synechococcus* sp. PCC 7942
K. Sippola, E.-M. Aro **425–433**

Vol. 41, No. 4, November (I) 1997

Mini-review

Polypeptide tags, ubiquitous modifiers for plant protein regulation
R.D. Vierstra, J. Callis **435–442**

Research papers

Auxin and brassinosteroid differentially regulate the expression of three members of the 1-aminocyclopropane-1-carboxylate synthase gene family in mung bean (*Vigna radiata* L.)
H.C. Yi, S. Joo, K.H. Nam, J.S. Lee, B.G. Kang, T. Kim 443–454

Characterization of cDNAs expressed in the early stages of microspore embryogenesis in barley (*Hordeum vulgar* L.)
P.L. Vrinten, T. Nakamura, K.J. Kasha 455–463

Antisense repression of sucrose synthase in carrot (*Daucus carota* L.) affects growth rater than sucrose partitioning
G.-Q. Tang, A. Sturm 465–479

Plant low-molecular-weight phospholipase A_2s (PLA_2s) are structurally related to the animal secretory PLA_2s and are present as a family of isoforms in rice (*Oryza sativa*)
U. Ståhl, M. Lee, S. Sjödahl, D. Archer, F. Cellini, B. Ek, R. Iannacone, D. MacKenzie, L. Semeraro, E. Tramontano, S. Stymme 481–490

Identification of UV-B light-responsive regions in the promoter of the tryptophan decarboxylase gene from *Catharanthus roseus*
P.B.F. Ouwerkerk, D. Hallard, R. Verpoorte, J. Memelink 491–503

The precursor of the $F_1\beta$ subunit of the ATP synthase is covalently modified upon binding to plant mitochondria
E. von Stedingk, P.F. Pavlov, V.A. Grinkevich, E. Glaser 505–515

Expression of ACC oxidase genes differs among sex genotypes and sex phases in cucumber
A. Kahana, L. Silberstein, N. Kessler, R.S. Goldstein, R. Peri-Treves 517–528

Constitutive protein-DNA interactions of the abscisic acid-responsive element before and after developmental activation of the *rab28* gene
P.K. Busk, J. Pujal, A. Jessop, V. Lumbreras, M. PagÐs 529–536

Rhizobacteria-mediated induced systemic resistance (ISR) in *Arabidopsis* is not associated with a direct effect on expression of known defense-related genes but stimulates the expression of the jasmonate-inducible gene *Atvsp* upon challenge
S.C.M. van Wees, M. Luijendijk, I. Smoorenburg, L.C. van Loon, C.M.J. Pieterse 537–549

The *DapA* gene encoding the lysine biosynthetic enzyme dihydrodipicolinate synthase from *Coix lacryma-jobi*: cloning, characterization, and expression analysis
R.A. Dante, G.C. Neto, A. Leite, J.A. Yunes, P. Arruda 551–561

His-Asp phosphotransfer possibly involved in the nitrogen signal transduction mediated by cytokinin in maize: molecular cloning of cDNAs for two-component regulatory factors and demonstration of phosphotransfer activity *in vitro*
H. Sakakibara, A. Hayakawa, A. Deji, S.W. Gawronski, T. Sugiyama 563–573

Vol. 41, No. 5, November (II) 1999

Mini-review

Multifunctionality and diversity within the plant *MYB*-gene family
H. Jin, C. Martin 577–585

Research papers

Identification of two chilling-regulated 1-aminocyclopropane-1-carboxylate synthase genes from citrus (*Citrus sinensis* Osbeck) fruit
W.S. Wong, W. Ning, P.L. Xu, S.D. Kung, S.F. Yang, N. Li **587–600**

Expression of the pea (*Pisum sativum* L.) α-tubulin gene *TubA1* is correlated with cell division activity
H.U. Stotz, S.R. Long **601–614**

Alternative splicing of two leading exons partitions promoter activity between the coding regions of the maize homeobox gene *Zmhox1a* and *Trap* (transposon-associated protein)
P. Comelli, J. König, W. Werr **615–625**

Rubisco activase transcript (*rca*) abundance increases when the marine unicellular green alga *Chlorococcum littorale* is grown under high-CO_2 stress
L. Beuf, N. Kurano, S. Miyachi **627–635**

Test of the combinatorial model of intron recognition in a native maize gene
M.J. Latijnhouwers, C.F. Pairoba, V. Brendel, V. Walbot, J.C. Carle-Urioste **637–644**

A conserved His-Asp signal response regulator-like gene in *Heterosigma akashiwo* chloroplasts
M.A. Jacobs, L. Connell, R.A. Cattolico **645–655**

The involvement of ubiquitin in vegetative desiccation tolerance
P.J. O'Mahony, M.J. Oliver **657–667**

Comparative differential RNA display analysis of arbuscular mycorrhiza in *Pisum sativum* wild type and a mutant defective in late stage development
L. Lapopin, V. Gianinazzi-Pearson, P. Franken **669–677**

Bryophyte 5S rDNA was inserted into 45S rDNA repeat units after the divergence from higher land plants
T. Sone, M. Fujisawa, M. Takenaka, S. Nakagawa, S. Yamaoka, M. Sakaida, R. Nishiyama, K.T. Yamato, N. Ohmido, K. Fukui, H. Fukuzawa, K. Ohyama **679–685**

Fine sequence analysis of 60 kb around the *Arabidopsis thaliana AtEM1* locus on chromosome III
P. Comella, H.-J. Wu, M. Laudie, C. Berger, R. Cooke, M. Delseny, F. Grellet **687–700**

Transcriptional regulation of the *Nia1* gene encoding nitrate reductase in *Chlamydomonas reinhardtii*: effects of various environmental factors on the expression of a reporter gene under the control of the *Nia1* promoter
R. Loppes, M. Radoux, M.C.P. Ohresser, R.F. Matagne **701–711**

Vol. 36, No. 6, December 1999

Mini review

Higher-order chromatin structure: looping long molecules
A.-L. Paul, R.J. Ferl **713–720**

Research papers

Magnesium chelatase subunit D from pea: characterization of the cDNA, heterologous expression of an enzymatically active protein and immunoassay of the native protein
M. Luo, J.D. Weinstein, C.J. Walker 721–731

Mapping and expression of a bifunctional thymidylate synthase, dihydrofolate reductase gene from maize
K. Cox, D. Robertson, R. Fites 733–739

Expression of tandem invertase genes associated with sexual and vegetative growth cycles in potato
A.L. Maddison, P.E. Hedley, R.C. Meyer, N. Aziz, D. Davidson, G.C. Machray 741–751

Rice calcium-dependent protein kinase isoforms OsCDPK2 and OsCDPK11 show different responses to light and different expression patterns during seed development
M. Frattini, L. Morello, D. Breviario 753–764

Sequence and functional analysis of the left-hand part of the T-region from the nopaline-type Ti plasmid, pTiC58
L. Otten, J.-Y. Salomone, A. Helfer, J. Schmidt, P. Hammann, P. De Ruffray 765–776

Expression of fungal thermotolerant endo-1,4-β-glucanase in transgenic barley seeds during germination
A.M. Nuutila, A. Ritala, R.W. Skadsen, L. Mannonen, V. Kauppinen 777–783

***Aaknox1*, a *kn1*-like homeobox gene *Acetabularia acetabulum*, undergoes developmentally regulated subcellular localization**
K.A. Serikawa, D.F. Mandoli 785–793

RAPD polymorphisms detected among the flax genotrophs
C.A. Cullis, S. Swami, Y. Song 795–800

The eEFIA gene family is differentially expressed in maize endosperm
N.P. Carneiro, P.A. Hughes, B.A. Larkins 801–813

The *Arabidopsis thaliana RER1* gene family: its potential role in the endoplasmic reticulum localization of membrane proteins
K. Sato, T. Ueda, A. Nakano 815–824

Large alkyl side-chains of isoleucine and leucine in the NPIRL region constitute the core of the vacuolar sorting determinant of sporamin precursor
K. Matsuoka, K. Nakamura 825–835

Effects of antisense repression of an *Arabidopsis thaliana* pyruvate dehydrogenase kinase cDNA on plant development
J. Zou, Q. Qi, V. Katavic, E.F. Marillia, D.C. Taylor 837–849

Instructions for authors 851–854

Volume contents 855–860

Author index 861–862